

## References: All Appendices

---

- [Abrams, R.](#) (2013). Advanced oxidation frac water recycling system. Presentation presented at 20th International Petroleum Environmental Conference, November 12-14, 2013, San Antonio, TX.
- [Acharya, HR; Henderson, C; Matis, H; Kommpalli, H; Moore, B; Wang, H.](#) (2011). Cost effective recovery of low-TDS frac flowback water for reuse. (Department of Energy: DE-FE0000784). Niskayuna, NY: GE Global Research. [http://www.netl.doe.gov/file%20library/Research/oil-gas/FE0000784\\_FinalReport.pdf](http://www.netl.doe.gov/file%20library/Research/oil-gas/FE0000784_FinalReport.pdf)
- [Afzal, W; Mohammadi, AH; Richon, D.](#) (2009). Volumetric properties of mono-, di-, tri-, and polyethylene glycol aqueous solutions from (273.15 to 363.15) K: experimental measurements and correlations. Journal of Chemical and Engineering Data 54: 1254-1261. <http://dx.doi.org/10.1021/je800694a>
- [Ahmann, D; Roberts, AL; Krumholz, LR; Morel, FM.](#) (1994). Microbe grows by reducing arsenic [Letter]. Nature 371: 750. <http://dx.doi.org/10.1038/371750a0>
- [Alain, K; Pignet, P; Zbinden, M; Quillevere, M; Duchiron, F; Donval, JP; Lesongeur, F; Raguenes, G; Crassous, P; Querellou, J; Cambon-Bonavita, MA.](#) (2002). Caminicella sporogenes gen. nov., sp. nov., a novel thermophilic spore-forming bacterium isolated from an East-Pacific Rise hydrothermal vent. Int J Syst Evol Microbiol 52: 1621-1628.
- [Alfa Aesar.](#) (2015). A16163: Formaldehyde, 37% w/w aq. soln., stab. with 7-8% methanol. Available online at <https://www.alfa.com/en/catalog/A16163> (accessed May 4, 2015).
- [Ali, M; Taoutaou, S; Shafqat, AU; Salehapour, A; Noor, S.](#) (2009). The use of self healing cement to ensure long term zonal isolation for HPHT wells subject to hydraulic fracturing operations in Pakistan. Paper presented at International Petroleum Technology Conference, December 7-9, 2009, Doha, Qatar.
- [ALL Consulting](#) (ALL Consulting, LLC). (2013). Water treatment technology fact sheet: Electrodialysis [Fact Sheet]. Tulsa, OK. <http://www.all-llc.com/publicdownloads/ED-EDRFactSheet.pdf>
- [Alzahrani, S; Mohammad, AW; Hilal, N; Abdullah, P; Jaafar, O.](#) (2013). Comparative study of NF and RO membranes in the treatment of produced water-Part I: Assessing water quality. Desalination 315: 18-26. <http://dx.doi.org/10.1016/j.desal.2012.12.004>
- [André, L; Rabemanana, V; Vuataz, FD.](#) (2006). Influence of water-rock interactions on fracture permeability of the deep reservoir at Soultz-sous-Forêts, France. Geothermics 35: 507-531. <http://dx.doi.org/10.1016/j.geothermics.2006.09.006>
- [API](#) (American Petroleum Institute). (1999). Recommended practice for care and use of casing and tubing [Standard] (18th ed.). (API RP 5C1). Washington, DC: API Publishing Services.

- API (American Petroleum Institute). (2004). Recommended practice for centralizer placement and stop collar testing (First ed.). (API RP 10D-2 (R2010)).
- API (American Petroleum Institute). (2009a). Hydraulic fracturing operations - Well construction and integrity guidelines [Standard] (First ed.). Washington, DC: API Publishing Services.
- API (American Petroleum Institute). (2009b). Packers and bridge plugs (Second ed.). (API Spec 11D1).
- API (American Petroleum Institute). (2010a). Isolating potential flow zones during well construction [Standard] (1st ed.). (RP 65-2). Washington, DC: API Publishing Services.  
<http://www.techstreet.com/products/preview/1695866>
- API (American Petroleum Institute). (2010b). Specification for cements and materials for well cementing [Standard] (24th ed.). (ANSI/API SPECIFICATION 10A). Washington, DC: API Publishing Services.  
<http://www.techstreet.com/products/1757666>
- API (American Petroleum Institute). (2011). Specification for casing and tubing - Ninth edition [Standard] (9th ed.). (API SPEC 5CT). Washington, DC: API Publishing Services.  
<http://www.techstreet.com/products/1802047>
- API (American Petroleum Institute). (2013). Recommended practice for testing well cements [Standard] (2nd ed.). (RP 10B-2). Washington, DC: API Publishing Services.  
<http://www.techstreet.com/products/1855370>
- Arthur, JD. (2012). Understanding and assessing well integrity relative to wellbore stray gas intrusion issues. Presentation presented at Ground Water Protection Council Stray Gas - Incidence & Response Forum, July 24-26, 2012, Cleveland, OH.
- Arthur, JD; Bohm, B; Cornue, D. (2009). Environmental considerations of modern shale gas development. Paper presented at SPE Annual Technical Conference and Exhibition, October 4-7, 2009, New Orleans, LA.
- Arthur, JD; Langhus, BG; Patel, C. (2005). Technical summary of oil and gas produced water treatment technologies. Tulsa, OK: ALL Consulting, LLC.  
<http://www.odinoilandgas.com/Portals/0/TreatmentOptionsReport.pdf>
- ATSDR (Agency for Toxic Substances and Disease Registry). (2009). Glossary of terms. Available online at <http://www.atsdr.cdc.gov/glossary.html>
- AWWA (American Water Works Association). (1999). Residential end uses of water. In PW Mayer; WB DeOreo (Eds.). Denver, CO: AWWA Research Foundation and American Water Works Association.  
[http://www.waterrf.org/PublicReportLibrary/RFR90781\\_1999\\_241A.pdf](http://www.waterrf.org/PublicReportLibrary/RFR90781_1999_241A.pdf)
- Baker, R. (1979). A primer of oilwell drilling (4th ed.). Austin, TX: Petroleum Extension Service (PETEX).
- Banasiak, LJ; Schäfer, AL (2009). Removal of boron, fluoride and nitrate by electrodialysis in the presence of organic matter. J Memb Sci 334: 101-109. <http://dx.doi.org/10.1016/j.memsci.2009.02.020>
- Bank, T. (2011). Trace metal geochemistry and mobility in the Marcellus shale. In Proceedings of the Technical Workshops for the Hydraulic Fracturing Study: Chemical & Analytical Methods. Bank, T.  
<http://www2.epa.gov/sites/production/files/documents/tracemetalegeochemistryandmobilityinthemarcellusformation1.pdf>
- Bank, T; Fortson, LA; Malizia, TR; Benelli, P. (2012). Trace metal occurrences in the Marcellus Shale [Abstract]. Geological Society of America Abstracts with Programs 44: 313.
- Baragi, JG; Maganur, S; Malode, V; Baragi, SL (2013). Excess molar volumes and refractive indices of binary liquid mixtures of acetyl acetone with n-Nonane, n-Decane and n-Dodecane at (298.15, 303.15, and 308.15) K. Journal of Molecular Liquids 178: 175-177. <http://dx.doi.org/10.1016/j.molliq.2012.11.022>
- Barati, R; Liang, JT. (2014). A review of fracturing fluid systems used for hydraulic fracturing of oil and gas wells. J Appl Polymer Sci Online pub. <http://dx.doi.org/10.1002/app.40735>

- Barbot, E; Vidic, NS; Gregory, KB; Vidic, RD. (2013). Spatial and temporal correlation of water quality parameters of produced waters from Devonian-age shale following hydraulic fracturing. Environ Sci Technol 47: 2562-2569.
- Barrett, ME. (2010). Evaluation of sand filter performance. (CRWR Online Report 10-7). Austin, TX: Center for Research in Water Resources, University of Texas at Austin.  
<http://www.crwr.utexas.edu/reports/pdf/2010/rpt10-07.pdf>
- Benko, KL; Drewes, JE. (2008). Produced water in the Western United States: Geographical distribution, occurrence, and composition. Environ Eng Sci 25: 239-246.
- Bennett, GM; Yuill, JL. (1935). The crystal form of anhydrous citric acid. J Chem Soc 1935: 130.  
<http://dx.doi.org/10.1039/JR9350000130>
- Biilmann, E. (1906). [Studien über organische Thiosäuren III]. Justus Liebigs Annalen der Chemie 348: 133-143. <http://dx.doi.org/10.1002/jlac.19063480110>
- Biltz, W; Balz, G. (1928). [Über molekular- und atomvolumina. XVIII. Das volumen des ammoniaks in kristallisierten ammoniumsalzen]. Zeitschrift für Anorganische und Allgemeine Chemie 170: 327-341.  
<http://dx.doi.org/10.1002/zaac.19281700141>
- Blanco, A; Garcia-Abuin, A; Gomez-Diaz, D; Navaza, JM; Villaverde, OL. (2013). Density, speed of sound, viscosity, surface tension, and excess volume of n-ethyl-2-pyrrolidone plus ethanolamine (or diethanolamine or triethanolamine) from T = (293.15 to 323.15) K. Journal of Chemical and Engineering Data 58: 653-659. <http://dx.doi.org/10.1021/je301123j>
- Blauch, ME; Myers, RR; Moore, TR; Lipinski, BA. (2009). Marcellus shale post-frac flowback waters - where is all the salt coming from and what are the implications? In Proceedings of the SPE Eastern Regional Meeting. Richardson, TX: Society of Petroleum Engineers.
- Blondes, MS; Gans, KD; Thordsen, JJ; Reidy, ME; Thomas, B; Engle, MA; Kharaka, YK; Rowan, EL. (2014). Data: U.S. Geological Survey National Produced Waters Geochemical Database v2.0 (Provisional) [Database]: U.S. Geological Survey :: USGS. Retrieved from  
<http://energy.usgs.gov/EnvironmentalAspects/EnvironmentalAspectsofEnergyProductionandUse/ProducedWaters.aspx#3822349-data>
- Bloomfield, C; Kelson, W; Pruden, G. (1976). Reactions between metals and humidified organic matter. Journal of Soil Science 27: 16-31. <http://dx.doi.org/10.1111/j.1365-2389.1976.tb01971.x>
- Boschee, P. (2012). Handling produced water from hydraulic fracturing. Oil and Gas Facilities 1: 23-26.
- Boschee, P. (2014). Produced and flowback water recycling and reuse: Economics, limitations, and technology. Oil and Gas Facilities 3: 16-22.
- Bottero, S; Picioreanu, C; Delft, TU; Enzien, M; van Loosdrecht, MCM; Bruining, H; Heimovaara, T. (2010). Formation damage and impact on gas flow caused by biofilms growing within proppant packing used in hydraulic fracturing. Paper presented at SPE International Symposium and Exhibititon on Formation Damage Control, February 10-12, 2010, Lafayette, Louisiana.
- Brufatto, C; Cochran, J; Conn, L; El-Zeghaty, SZA, A; Fraboulet, B; Griffin, T; James, S; Munk, T; Justus, F; Levine, JR; Montgomery, C; Murphy, D; Pfeiffer, J; Pornpoch, T; Rishmani, L. (2003). From mud to cement - Building gas wells. Oilfield Rev 15: 62-76.
- Bruff, M; Jikich, SA. (2011). Field demonstration of an integrated water treatment technology solution in Marcellus shale. Paper presented at SPE Eastern Regional Meeting, August 17-19, 2011, Columbus, OH.
- BTGS (Bureau of Topographic and Geologic Survey). (2011). Geochemical analyses of selected lithologies from geologic units in central, north-central, and southeastern Pennsylvania. (OFMI 1101.0). Middletown, PA: Bureau of Topographic and Geologic Survey, Pennsylvania Geological Survey.

- Bukhari, AA. (2008). Investigation of the electro-coagulation treatment process for the removal of total suspended solids and turbidity from municipal wastewater. *Bioresour Technol* 99: 914-921.  
<http://dx.doi.org/10.1016/j.biortech.2007.03.015>
- CAPP (Canadian Association of Petroleum Producers). (2013). CAPP hydraulic fracturing operating practice: Wellbore construction and quality assurance. (2012-0034).  
<http://www.capp.ca/getdoc.aspx?DocId=218137&DT=NTV>
- Carpenter, EL; Davis, HS. (1957). Acrylamide. Its preparation and properties. *Journal of Applied Chemistry* 7: 671-676. <http://dx.doi.org/10.1002/jctb.5010071206>
- Casanova, C; Wilhelm, E; Grolier, JPE; Kehiaian, HV. (1981). Excess volumes and excess heat-capacities of (water + alkanoic acid). *The Journal of Chemical Thermodynamics* 13: 241-248.  
[http://dx.doi.org/10.1016/0021-9614\(81\)90123-3](http://dx.doi.org/10.1016/0021-9614(81)90123-3)
- Cayol, JL; Ollivier, B; Lawson anani soh, A; Fardeau, ML; Ageron, E; Grimont, PAD; Prensier, G; Guezennec, J; Magot, M; Garcia, JL. (1994). Haloincola saccharolytica subsp. senegalensis subsp. nov., Isolated from the sediments of a Hypersaline lake, and emended description of Haloincola saccharolytica. *International Journal of Systematic Bacteriology* 44: 805-811. <http://dx.doi.org/10.1099/00207713-44-4-805>
- CCG (Chemical Computing Group). (2011). Molecular Operating Environment (MOE) Linux (Version 2011.10) [Computer Program]. Montreal, Quebec. Retrieved from <http://www.chemcomp.com/software.htm>
- CCST (California Council on Science and Technology). (2014). Advanced well stimulation technologies in California: An independent review of scientific and technical information. Sacramento, CA.  
<http://ccst.us/publications/2014/2014wst.pdf>
- CCST (California Council on Science and Technology). (2015). An independent scientific assessment of well stimulation in California, Volume 1: Well stimulation technologies and their past, present, and potential future use in California. Sacramento, CA. <http://www.ccst.us/publications/2015/2015SB4-v1.pdf>
- Chafer, A; Lladosa, E; Monton, JB; Cruz Burguet, M. a. (2010). Liquid-liquid equilibria for the system 1-methyl propyl ethanoate (1) + acetic acid (2) + water (3) at (283.15 and 323.15) K. *Journal of Chemical and Engineering Data* 55: 523-525. <http://dx.doi.org/10.1021/je900332x>
- Chapman, EC; Capo, RC; Stewart, BW; Kirby, CS; Hammack, RW; Schroeder, KT; Edenborn, HM. (2012). Geochemical and strontium isotope characterization of produced waters from Marcellus Shale natural gas extraction. *Environ Sci Technol* 46: 3545-3553.
- Chasib, KF. (2013). Extraction of phenolic pollutants (phenol and p-chlorophenol) from industrial wastewater. *Journal of Chemical and Engineering Data* 58: 1549-1564.  
<http://dx.doi.org/10.1021/je4001284>
- Chermak, JA; Schreiber, ME. (2014). Mineralogy and trace element geochemistry of gas shales in the United States: Environmental implications. *Int J Coal Geol* 126: 32-44.  
<http://dx.doi.org/10.1016/j.coal.2013.12.005>
- Cheung, K; Klassen, P; Mayer, B; Goodarzi, F; Aravena, R. (2010). Major ion and isotope geochemistry of fluids and gases from coalbed methane and shallow groundwater wells in Alberta, Canada. *Appl Geochem* 25: 1307-1329. <http://dx.doi.org/10.1016/j.apgeochem.2010.06.002>
- Choppin, GR. (2006). Actinide speciation in aquatic systems. *Mar Chem* 99: 83-92.  
<http://dx.doi.org/10.1016/j.marchem.2005.003.011>
- Choppin, GR. (2007). Actinide speciation in the environment. *Journal of Radioanal Chem* 273: 695-703.  
<http://dx.doi.org/10.1007/s10967-007-0933-3>

- Clark, CE; Veil, JA. (2009). Produced water volumes and management practices in the United States (pp. 64). (ANL/EVS/R-09/1). Argonne, IL: Argonne National Laboratory.  
[http://www.circleofblue.org/waternews/wp-content/uploads/2010/09/ANL\\_EVS\\_R09\\_produced\\_water\\_volume\\_report\\_2437.pdf](http://www.circleofblue.org/waternews/wp-content/uploads/2010/09/ANL_EVS_R09_produced_water_volume_report_2437.pdf)
- Cluff, M; Hartsock, A; Macrae, J; Carter, K; Mouser, PI. (2014). Temporal changes in microbial ecology and geochemistry in produced water from hydraulically fractured Marcellus Shale Gas Wells. Environ Sci Technol 48: 6508-6517. <http://dx.doi.org/10.1021/es501173p>
- Colborn, T; Kwiatkowski, C; Schultz, K; Bachran, M. (2011). Natural gas operations from a public health perspective. Hum Ecol Risk Assess 17: 1039-1056. <http://dx.doi.org/10.1080/10807039.2011.605662>
- Collado, L; Cleenwerck, I; Van Trappen, S; De Vos, P; Figueras, MJ. (2009). Arcobacter mytili sp. nov., an indoxyl acetate-hydrolysis-negative bacterium isolated from mussels. Int J Syst Evol Microbiol 59: 1391-1396. <http://dx.doi.org/10.1099/ijsm.0.003749-0>
- Craft, R. (2004). Crashes involving trucks carrying hazardous materials. (FMCSA-RI-04-024). Washington, D.C.: U.S. Department of Transportation. <http://ntl.bts.gov/lib/51000/51300/51302/fmcsa-ri-04-024.pdf>
- Cramer, DD. (2008). Stimulating unconventional reservoirs: Lessons learned, successful practices, areas for improvement. SPE Unconventional Reservoirs Conference, February 10-12, 2008, Keystone, CO.
- Crescent (Crescent Consulting, LLC). (2011). East Mamm creek project drilling and cementing study. Oklahoma City, OK. <http://cogcc.state.co.us/Library/PiceanceBasin/EastMammCreek/ReportFinal.pdf>
- Criquet, J; Allard, S; Salhi, E; Joll, CA; Heitz, A; von Gunten, U, rs. (2012). Iodate and Iodo-Trihalomethane Formation during Chlorination of Iodide-Containing Waters: Role of Bromide. Environ Sci Technol 46: 7350-7357. <http://dx.doi.org/10.1021/es301301g>
- Crook, R. (2008). Cementing: Cementing horizontal wells. Halliburton.
- Curtis, JB. (2002). Fractured shale-gas systems. AAPG Bulletin 86: 1921-1938. <http://dx.doi.org/10.1306/61EEDDBE-173E-11D7-8645000102C1865D>
- Dahm, KG; Guerra, KL; Xu, P; Drewes, JE. (2011). Composite geochemical database for coalbed methane produced water quality in the Rocky Mountain region. Environ Sci Technol 45: 7655-7663. <http://dx.doi.org/10.1021/es201021n>
- Dake, LP. (1978). Fundamentals of reservoir engineering. Boston, MA: Elsevier. <http://www.ing.unp.edu.ar/asignaturas/reservorios/Fundamentals%20of%20Reservoir%20Engineering%20%28LP.%20Dake%29.pdf>
- Dao, TD; Mericq, JP; Laborie, S; Cabassud, C. (2013). A new method for permeability measurement of hydrophobic membranes in Vacuum Membrane Distillation process. Water Res 47: 20962104.
- Davis, JP; Struchtemeyer, CG; Elshahed, MS. (2012). Bacterial communities associated with production facilities of two newly drilled thermogenic natural gas wells in the Barnett Shale (Texas, USA). Microb Ecol 64: 942-954. <http://dx.doi.org/10.1007/s00248-012-0073-3>
- de Oliveira, LH; da Silva, JL, Jr; Aznar, M. (2011). Apparent and partial molar volumes at infinite dilution and solid-liquid equilibria of dibenzothiophene plus alkane systems. Journal of Chemical and Engineering Data 56: 3955-3962. <http://dx.doi.org/10.1021/je200327s>
- Dejoye Tanzi, C; Abert Vian, M; Ginies, C; Elmaataoui, M; Chemat, F. (2012). Terpenes as green solvents for extraction of oil from microalgae. Molecules 17: 8196-8205. <http://dx.doi.org/10.3390/molecules17078196>
- Devereux, S. (1998). Practical well planning and drilling manual. Tulsa, OK: PennWell Publishing Company. <http://www.pennwellbooks.com/practical-well-planning-and-drilling-manual/>

- Dhondge, SS; Pandhurnekar, CP; Parwate, DV. (2010). Density, speed of sound, and refractive index of aqueous binary mixtures of some glycol ethers at T=298.15 K. Journal of Chemical and Engineering Data 55: 3962-3968. <http://dx.doi.org/10.1021/je901072c>
- Diehl, SF; Goldhaber, MB; Hatch, JR. (2004). Modes of occurrence of mercury and other trace elements in coals from the warrior field, Black Warrior Basin, Northwestern Alabama. Int J Coal Geol 59: 193-208. <http://dx.doi.org/10.1016/j.coal.2004.02.003>
- DOE (U.S. Department of Energy). (2006). A guide to practical management of produced water from onshore oil and gas operations in the United States. Washington, DC: U.S. Department of Energy, National Petroleum Technology Office. [http://fracfocus.org/sites/default/files/publications/a\\_guide\\_to\\_practical\\_management\\_of\\_produced\\_water\\_from\\_onshore\\_oil\\_and\\_gas\\_operations\\_in\\_the\\_united\\_states.pdf](http://fracfocus.org/sites/default/files/publications/a_guide_to_practical_management_of_produced_water_from_onshore_oil_and_gas_operations_in_the_united_states.pdf)
- DOE (U.S. Department of Energy). (2014). Water management strategies for improved coalbed methane production in the Black Warrior Basin. Available online at <http://www.netl.doe.gov/research/oil-and-gas/project-summaries/natural-gas-resources/de-fe0000888>
- Dresel, PE; Rose, AW. (2010). Chemistry and origin of oil and gas well brines in western Pennsylvania (pp. 48). (Open-File Report OFOG 1001.0). Harrisburg, PA: Pennsylvania Geological Survey, 4th ser. <http://www.marcellus.psu.edu/resources/PDFs/brines.pdf>
- Drewes, J; Cath, T; Debroux, J; Veil, J. (2009). An integrated framework for treatment and management of produced water - Technical assessment of produced water treatment technologies (1st ed.). (RPSEA Project 07122-12). Golden, CO: Colorado School of Mines. [http://aqwatec.mines.edu/research/projects/TechAssessment\\_PWTreatmentTech.pdf](http://aqwatec.mines.edu/research/projects/TechAssessment_PWTreatmentTech.pdf)
- Dubey, GP; Kumar, K. (2011). Thermodynamic properties of binary liquid mixtures of diethylenetriamine with alcohols at different temperatures. Thermochim Acta 524: 7-17. <http://dx.doi.org/10.1016/j.tca.2011.06.003>
- Dubey, GP; Kumar, K. (2013). Studies of thermodynamic, thermophysical and partial molar properties of liquid mixtures of diethylenetriamine with alcohols at 293.15 to 313.15 K. Journal of Molecular Liquids 180: 164-171. <http://dx.doi.org/10.1016/j.molliq.2013.01.011>
- Duhon, H. (2012). Produced water treatment: Yesterday, today, and tomorrow. Oil and Gas Facilities 3: 29-31.
- Dunkel, M. (2013). Reducing fresh water use in upstream oil and gas hydraulic fracturing. In Summary of the technical workshop on wastewater treatment and related modeling (pp. A37-A43). Irving, TX: Pioneer Natural Resources USA, Inc. <http://www2.epa.gov/hfstudy/summary-technical-workshop-wastewater-treatment-and-related-modeling>
- Duraisamy, RT; Beni, AH; Henni, A. (2013). State of the art treatment of produced water. In W Elshorbagy; RK Chowdhury (Eds.), Water treatment (pp. 199-222). Rijeka, Croatia: InTech. <http://dx.doi.org/10.5772/53478>
- Dusseault, MB; Gray, MN; Nawrocki, PA. (2000). Why oilwells leak: Cement behavior and long-term consequences. Paper presented at SPE International Oil and Gas Conference and Exhibition in China, November 7-10, 2000, Beijing, China.
- Dyshin, AA; Eliseeva, OV; Kiselev, MG; Al'per, GA. (2008). The volume characteristics of solution of naphthalene in heptane-ethanol mixtures at 298.15 K. Russian Journal of Physical Chemistry A, Focus on Chemistry 82: 1258-1261. <http://dx.doi.org/10.1134/S0036024408080037>
- Easton, J. (2014). Optimizing fracking wastewater management. Pollution Engineering January 13.
- Egorov, GI; Makarov, DM; Kolker, AM. (2013). Volume properties of liquid mixture of water plus glycerol over the temperature range from 278.15 to 348.15 K at atmospheric pressure. Thermochim Acta 570: 16-26. <http://dx.doi.org/10.1016/j.tca.2013.07.012>

- [EIA](#) (Energy Information Administration). (2013). Technically recoverable shale oil and shale gas resources: an assessment of 137 shale formations in 41 countries outside the United States (pp. 730). Washington, D.C.: Energy Information Administration, U.S. Department of Energy.  
<http://www.eia.gov/analysis/studies/worldshalegas/>
- [Ely, JW; Horn, A; Cathey, R; Fraim, M; Jakheti, S.](#) (2011). Game changing technology for treating and recycling frac water. Paper presented at SPE Annual Technical Conference and Exhibition, October 30 - November 2, 2011, Denver, CO.
- [Enform.](#) (2013). Interim industry recommended practice 24: fracture stimulation: Interwellbore communication 3/27/2013 (1.0 ed.). (IRP 24). Calgary, Alberta: Enform Canada.  
[http://www.enform.ca/safety\\_resources/publications/PublicationDetails.aspx?a=29&type=irp](http://www.enform.ca/safety_resources/publications/PublicationDetails.aspx?a=29&type=irp)
- [Engle, MA; Rowan, EL.](#) (2014). Geochemical evolution of produced waters from hydraulic fracturing of the Marcellus Shale, northern Appalachian Basin: A multivariate compositional data analysis approach. *Int J Coal Geol* 126: 45-56. <http://dx.doi.org/10.1016/j.coal.2013.11.010>
- [ER](#) (Eureka Resources, LLC). (2014). Crystallization technology. Available online at [http://www.eureka-resources.com/wp-content/uploads/2013/07/EURE-022\\_Crystallization\\_53013.pdf](http://www.eureka-resources.com/wp-content/uploads/2013/07/EURE-022_Crystallization_53013.pdf) (accessed March 4, 2015).
- [Ertel, D; McManus, K; Bogdan, J.](#) (2013). Marcellus wastewater treatment: Case study. In Summary of the technical workshop on wastewater treatment and related modeling (pp. A56-A66). Williamsport, PA: Eureka Resources, LLC. <http://www2.epa.gov/hfstudy/summary-technical-workshop-wastewater-treatment-and-related-modeling>
- [Fadeeva, YA; Shmukler, LE; Safonova, LP.](#) (2004). Physicochemical properties of the H<sub>3</sub>PO<sub>4</sub>-dimethylformamide system. *Russian Journal of General Chemistry* 74: 174-178.  
<http://dx.doi.org/10.1023/B:RUGC.0000025496.07304.66>
- [Fakhru'l-Razi, A; Pendashteh, A; Abdullah, LC; Biak, DR; Madaeni, SS; Abidin, ZZ.](#) (2009). Review of technologies for oil and gas produced water treatment [Review]. *J Hazard Mater* 170: 530-551.
- [Faria, MAF; Martins, RJ; Cardoso, MJE, M; Barcia, OE.](#) (2013). Density and viscosity of the binary systems ethanol + butan-1-ol, + pentan-1-ol, + heptan-1-ol, + octan-1-ol, nonan-1-ol, + decan-1-ol at 0.1 mpa and temperatures from 283.15 K to 313.15 K. *Journal of Chemical and Engineering Data* 58: 3405-3419.  
<http://dx.doi.org/10.1021/je400630f>
- [Fels, G.](#) (1900). Ueber die Frage der isomorphen vertretung von halogen und hydroxyl. In *Zeitschrift fur Kristallographie, Kristallgeometrie, Kristallphysik, Kristallchemie*. Frankfurt: Leipzig.  
<http://babel.hathitrust.org/cgi/pt?id=uc1.b3327977;view=1up;seq=5>
- [Fertl, WH; Chilingar, GV.](#) (1988). Total organic carbon content determined from well logs. *SPE Formation Evaluation* 3: 407-419. <http://dx.doi.org/10.2118/15612-PA>
- [Fichter, J; Moore, R; Braman, S; Wunch, K; Summer, E; Holmes, P.](#) (2012). How hot is too hot for bacteria? A technical study assessing bacterial establishment in downhole drilling, fracturing, and stimulation operations. Paper presented at NACE International Corrosion Conference & Expo, March 11-15, 2012, Salt Lake City, UT.
- [Filgueiras, AV; Lavilla, I; Bendicho, C.](#) (2002). Chemical sequential extraction for metal partitioning in environmental solid samples. *J Environ Monit* 4: 823-857. <http://dx.doi.org/10.1039/b207574c>
- [finemech](#) (finemech Precision Mechanical Components). (2012). Technical resources: Liquid nitrogen, LN2. Available online at [http://www.finemech.com/tech\\_resources/liquid\\_nitrogen.html](http://www.finemech.com/tech_resources/liquid_nitrogen.html)
- [Fisher, JG; Santamaria, A.](#) (2002). Dissolved organic constituents in coal-associated waters and implications for human and ecosystem health. Paper presented at 9th Annual International Petroleum Environmental Conference, October 22-25, 2002, Albuquerque, NM.

- Fisher, RS. (1998). Geologic and geochemical controls on naturally occurring radioactive materials (NORM) in produced water from oil, gas, and geothermal operations. Environmental Geosciences 5: 139-150. <http://dx.doi.org/10.1046/j.1526-0984.1998.08018.x>
- Francis, AJ. (2007). Microbial mobilization and immobilization of plutonium. J Alloy Comp 444: 500-505. <http://dx.doi.org/10.1016/j.jallcom.2007.01.132>
- Francis, RA; Small, MJ; Vanbriesen, JM. (2009). Multivariate distributions of disinfection by-products in chlorinated drinking water. Water Res 43: 3453-3468. <http://dx.doi.org/10.1016/j.watres.2009.05.008>
- Fredrickson, JK; Balkwill, DL. (2006). Geomicrobial processes and biodiversity in the deep terrestrial subsurface. Geomicrobiology Journal 23: 345-356. <http://dx.doi.org/10.1080/01490450600875571>
- Fuess, H; Bats, JW; Dannohl, H; Meyer, H; Schweig, A. (1982). Comparison of observed and calculated densities. XII. Deformation density in complex anions. II. Experimental and theoretical densities in sodium formate. Acta Crystallogr B B38: 736-743. <http://dx.doi.org/10.1107/S0567740882003999>
- Fujino, S; Hwang, C; Morinaga, K. (2004). Density, surface tension, and viscosity of PbO-B2O3-SiO2 glass melts. Journal of the American Ceramic Society 87: 10-16. <http://dx.doi.org/10.1111/j.1151-2916.2004.tb19937.x>
- Gadd, GM. (2004). Microbial influence on metal mobility and application for bioremediation. Geoderma 122: 109-119. <http://dx.doi.org/10.1016/j.geoderma.2004.01.002>
- García, MT; Mellado, E; Ostos, JC; Ventosa, A. (2004). Halomonas organivorans sp. nov., a moderate halophile able to degrade aromatic compounds. Int J Syst Evol Microbiol 54: 1723-1728. <http://dx.doi.org/10.1099/ijns.0.63114-0>
- Gauthier, MJ; Lafay, B; Christen, R; Fernandez, L; Acquaviva, M; Bonin, P; Bertrand, JC. (1992). Marinobacter hydrocarbonoclasticus gen. nov., sp. nov., a New, Extremely Halotolerant, Hydrocarbon-Degrading Marine Bacterium. International Journal of Systematic Bacteriology 42: 568-576. <http://dx.doi.org/10.1099/00207713-42-4-568>
- Gilmore, K; Hupp, R; Glathar, J. (2013). Transport of Hydraulic Fracturing Water and Wastes in the Susquehanna River Basin, Pennsylvania. J Environ Eng 140: B4013002. [http://dx.doi.org/10.1061/\(ASCE\)EE.1943-7870.0000810](http://dx.doi.org/10.1061/(ASCE)EE.1943-7870.0000810)
- Glorius, M; Moll, H; Geipel, G; Bernhard, G. (2008). Complexation of uranium(VI) with aromatic acids such as hydroxamic and benzoic acid investigated by TRLFS. Journal of Radioanal Chem 277: 371-377. <http://dx.doi.org/10.1007/s10967-007-7082-6>
- Gomes, J; Cocke, D; Das, K; Guttula, M; Tran, D; Beckman, J. (2009). Treatment of produced water by electrocoagulation. Shiner, TX: KASELCO, LLC. <http://www.kaselco.com/index.php/library/industry-white-papers>
- Goodwin, S; Carlson, K; Knox, K; Douglas, C; Rein, L. (2014). Water intensity assessment of shale gas resources in the Wattenberg field in northeastern Colorado. Environ Sci Technol 48: 5991-5995. <http://dx.doi.org/10.1021/es404675h>
- Grabowski, A; Nercessian, O; Fayolle, F; Blanchet, D; Jeanthon, C. (2005). Microbial diversity in production waters of a low-temperature biodegraded oil reservoir. FEMS Microbiol Ecol 54: 427-443. <http://dx.doi.org/10.1016/j.femsec.2005.05.007>
- Guolin, J; Xiaoyu, W; Chunjie, H. (2008). The effect of oilfield polymer-flooding wastewater on anion exchange membrane performance. Desalination 220: 386-393.
- Gupta, DVS; Valkó, P. (2007). Fracturing fluids and formation damage. In M Economides; T Martin (Eds.), Modern fracturing: enhancing natural gas production (pp. 227-279). Houston, TX: Energy Tribune Publishing Inc.

- GWPC and ALL Consulting (Ground Water Protection Council (GWPC) and ALL Consulting). (2009). Modern shale gas development in the United States: A primer. (DE-FG26-04NT15455). Washington, DC: U.S. Department of Energy, Office of Fossil Energy and National Energy Technology Laboratory. <http://www.gwpc.org/sites/default/files/Shale%20Gas%20Primer%202009.pdf>
- Habuda-Stanic, M; Ravancic, ME; Flanagan, A. (2014). A Review on Adsorption of Fluoride from Aqueous Solution. Materials 7: 6317-6366. <http://dx.doi.org/10.3390/ma7096317>
- Hagen, R; Kaatze, U. (2004). Conformational kinetics of disaccharides in aqueous solutions. J Chem Phys 120: 9656-9664. <http://dx.doi.org/10.1063/1.1701835>
- Halldorson, B. (2013). Successful oilfield water management: Five unique case studies. Presentation presented at EPA Technical Workshop - Wastewater Treatment and Related Modeling Research, April 18, 2013, Triangle Park, NC.
- Halliburton. (2014). Hydraulic fracturing 101. Available online at [http://www.halliburton.com/public/projects/pubsdata/hydraulic\\_fracturing/fracturing\\_101.html](http://www.halliburton.com/public/projects/pubsdata/hydraulic_fracturing/fracturing_101.html)
- Haluszczak, LO; Rose, AW; Kump, LR. (2013). Geochemical evaluation of flowback brine from Marcellus gas wells in Pennsylvania, USA. Appl Geochem 28: 55-61. <http://dx.doi.org/10.1016/j.apgeochem.2012.10.002>
- Hamieh, BM; Beckman, JR. (2006). Seawater desalination using Dewvaporation technique: theoretical development and design evolution. Desalination 195: 1-13. <http://dx.doi.org/10.1016/j.desal.2005.09.034>
- Hammer, R; VanBriesen, J. (2012). In frackings wake: New rules are needed to protect our health and environment from contaminated wastewater. New York, NY: Natural Resources Defense Council. <http://www.nrdc.org/energy/files/fracking-wastewater-fullreport.pdf>
- Hansen, E; Mulvaney, D; Betcher, M. (2013). Water resource reporting and water footprint from Marcellus Shale development in West Virginia and Pennsylvania. Durango, CO: Earthworks Oil & Gas Accountability Project. [http://www.downstreamstrategies.com/documents/reports\\_publication/marcellus\\_wv\\_pa.pdf](http://www.downstreamstrategies.com/documents/reports_publication/marcellus_wv_pa.pdf)
- Harkness, JS; Dwyer, GS; Warner, NR; Parker, KM; Mitch, WA; Vengosh, A. (2015). Iodide, Bromide, and Ammonium in Hydraulic Fracturing and Oil and Gas Wastewaters: Environmental Implications. Environ Sci Technol 49: 1955-1963. <http://dx.doi.org/10.1021/es504654n>
- Harlow, A; Wiegand, G; Franck, EU. (1997). The Density of Ammonia at High Pressures to 723 K and 950 MPa. 101: 1461-1465. <http://dx.doi.org/10.1002/bbpc.19970007>
- Harwood, DW; Viner, JG; Russell, ER. (1993). Procedure for developing truck accident and release rates for hazmat routing. Journal of Transportation Engineering 119: 189-199. [http://dx.doi.org/10.1061/\(ASCE\)0733-947X\(1993\)119:2\(189\)](http://dx.doi.org/10.1061/(ASCE)0733-947X(1993)119:2(189))
- Hatch, JR; Leventhal, JS. (1981). Geochemistry of organic-rich shales and coals from middle Pennsylvanian Cherokee group and lower part of Marmaton group, Oklahoma, Kansas, Missouri, and Iowa [Abstract]. AAPG Bulletin 65: 936.
- Hayes, T. (2009). Sampling and analysis of water streams associated with the development of Marcellus shale gas. Des Plaines, IL: Marcellus Shale Coalition. <http://eidmarcellus.org/wp-content/uploads/2012/11/MSCommission-Report.pdf>
- Hayes, T; Severin, B. (2012a). Characterization of flowback water from the the Marcellus and the Barnett shale regions. Barnett and Appalachian shale water management and reuse technologies. (08122-05.09; Contract 08122-05). Hayes, T; Severin, B. [http://www.rpsea.org/media/files/project/2146b3a0/08122-05-RT-Characterization\\_Flowback\\_Waters\\_Marcellus\\_Barnett\\_Shale\\_Regions-03-20-12.pdf](http://www.rpsea.org/media/files/project/2146b3a0/08122-05-RT-Characterization_Flowback_Waters_Marcellus_Barnett_Shale_Regions-03-20-12.pdf)

- Hayes, T; Severin, BF. (2012b). Evaluation of the aqua-pure mechanical vapor recompression system in the treatment of shale gas flowback water - Barnett and Appalachian shale water management and reuse technologies. (08122-05.11). Hayes, T; Severin, BF. <http://barnettshalewater.org/documents/08122-05.11-EvaluationofMVR-3-12-2012.pdf>
- Hayes, TD; Arthur, D. (2004). Overview of emerging produced water treatment technologies. Paper presented at 11th Annual International Petroleum Environmental Conference, October 12-15, 2004, Albuquerque, NM.
- Hayes, TD; Halldorson, B; Horner, P; Ewing, J; Werline, JR; Severin, BF. (2014). Mechanical vapor recompression for the treatment of shale-gas flowback water. Oil and Gas Facilities 3: 54-62.
- Haynes, WM. (2014). CRC handbook of chemistry and physics. In WM Haynes (Ed.), (95 ed.). Boca Raton, FL: CRC Press. <http://www.hbcpnetbase.com/>
- He, YM; Jiang, RF; Zhu, F; Luan, TG; Huang, ZQ; Ouyang, GF. (2008). Excess molar volumes and surface tensions of 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene with isopropyl acetate and isobutyl acetate at (298.15, 308.15, and 313.15)K. Journal of Chemical and Engineering Data 53: 1186-1191. <http://dx.doi.org/10.1021/je800046k>
- Hedlund, BP; Geiselbrecht, AD; Staley, JT. (2001). Marinobacter strain NCE312 has a Pseudomonas-like naphthalene dioxygenase. FEMS Microbiol Lett 201: 47-51.
- Hernlem, BJ; Vane, LM; Sayles, GD. (1999). The application of siderophores for metal recovery and waste remediation: Examination of correlations for prediction of metal affinities. Water Res 33: 951-960.
- Horsey, CA. (1981). Depositional environments of the Pennsylvanian Pottsville Formation in the Black Warrior Basin of Alabama. Journal of Sedimentary Research 51: 799-806. <http://dx.doi.org/10.1306/212F7DB5-2B24-11D7-8648000102C1865D>
- House of Representatives (U.S. House of Representatives). (2011). Chemicals used in hydraulic fracturing. Washington, D.C.: U.S. House of Representatives, Committee on Energy and Commerce, Minority Staff. <http://democrats.energycommerce.house.gov/sites/default/files/documents/Hydraulic-Fracturing-Chemicals-2011-4-18.pdf>
- Hua, GH; Reckhow, DA; Kim, J. (2006). Effect of bromide and iodide ions on the formation and speciation of disinfection byproducts during chlorination. Environ Sci Technol 40: 3050-3056. <http://dx.doi.org/10.1021/es0519278>
- Huffman, HM; Fox, SW. (1938). Thermal data. X. The heats of combustion and free energies, at 25, of some organic compounds concerned in carbohydrate metabolism. J Am Chem Soc 60: 1400-1403. <http://dx.doi.org/10.1021/ja01273a036>
- Hyne, NJ. (2012). Nontechnical guide to petroleum geology, exploration, drilling and production. In Nontechnical guide to petroleum geology, exploration, drilling and production (3 ed.). Tulsa, OK: PennWell Corporation.
- IARC (International Agency for Research on Cancer). (2015). IARC monographs - Classifications. Available online at <http://monographs.iarc.fr/ENG/Classification/index.php>
- Igunnu, ET; Chen, GZ. (2014). Produced water treatment technologies. International Journal of Low-Carbon Technologies 9: 157-177. <http://dx.doi.org/10.1093/ijlct/cts049>
- Inc., L. (2012). Leadslope [Computer Program]. Columbus, Ohio. Retrieved from <http://www.leadslope.com>
- IUPAC (International Union of Pure and Applied Chemistry). (2014). Global availability of information on agrochemicals: Triisopropanolamine. Available online at <http://sitem.herts.ac.uk/aeru/iupac/Reports/1338.htm>

- Jackson, RE; Gorody, AW; Mayer, B; Roy, JW; Ryan, MC; Van Stempvoort, DR. (2013). Groundwater protection and unconventional gas extraction: the critical need for field-based hydrogeological research. *Ground Water* 51: 488-510. <http://dx.doi.org/10.1111/gwat.12074>
- Jiang, L; Guillot, D; Meraji, M; Kumari, P; Vidick, B; Duncan, B; Gaafar, GR; Sansudin, SB. (2012). Measuring isolation integrity in depleted reservoirs. SPWLA 53rd Annual Logging Symposium, June 16 - 20, 2012, Cartagena, Colombia.
- Jones, DB; Saglam, A; Song, H; Karanfil, T. (2012). The impact of bromide/iodide concentration and ratio on iodinated trihalomethane formation and speciation. *Water Res* 46: 11-20. <http://dx.doi.org/10.1016/j.watres.2011.10.005>
- Julian, JY; King, GE; Johns, JE; Sack, JK; Robertson, DB. (2007). Detecting ultrasmall leaks with ultrasonic leak detection, case histories from the North Slope, Alaska. Paper presented at International Oil Conference and Exhibition in Mexico, June 27-30, 2007, Veracruz, Mexico.
- Kashem, MA; Singh, BR; Kondo, T; Huq, SMI; Kawai, S. (2007). Comparison of extractability of Cd, Cu, Pb and Zn with sequential extraction in contaminated and non-contaminated soils. *Int J Environ Sci Tech* 4: 169-176. <http://dx.doi.org/10.1007/BF03326270>
- Katsoyiannis, A; Samara, C. (2007). The fate of dissolved organic carbon (DOC) in the wastewater treatment process and its importance in the removal of wastewater contaminants. *Environ Sci Pollut Res Int* 14: 284-292. <http://dx.doi.org/10.1065/espr2006.05.302>
- Kim, HM; Hwang, CY; Cho, BC. (2010). Arcobacter marinus sp. nov. *Int J Syst Evol Microbiol* 60: 531-536. <http://dx.doi.org/10.1099/ijst.0.007740-0>
- Kimball, B. (2010). Water treatment technologies for global unconventional gas plays. Presentation presented at US - China Industry Oil and Gas Forum, September 16, 2010, Fort Worth, TX.
- Kirksey, J. (2013). Optimizing wellbore integrity in well construction. Presentation presented at North American Wellbore Integrity Workshop, October 16-17, 2013, Denver, CO.
- Kiselev, VD; Kashaeva, HA; Shakirova, II; Potapova, LN; Konovalov, AI. (2012). Solvent effect on the enthalpy of solution and partial molar volume of the ionic liquid 1-butyl-3-methylimidazolium tetrafluoroborate. *Journal of Solution Chemistry* 41: 1375-1387. <http://dx.doi.org/10.1007/s10953-012-9881-9>
- Kose, B; Ozgun, H; Ersahin, ME; Dizge, N; KoseogluImre, DY; Atay, B; Kaya, R; Altinbas, M; Sayili, S; Hoshan, P; Atay, D; Eren, E; Kinaci, C; Koyuncu, I. (2012). Performance evaluation of a submerged membrane bioreactor for the treatment of brackish oil and natural gas field produced water. *Desalination* 285: 295-300.
- Kraemer, TF; Reid, DF. (1984). The occurrence and behavior of radium in saline formation water of the U.S. Gulf Coast region. *Isotope Geoscience* 2: 153-174.
- Krakowiak, J; Bobicz, D; Grzybkowski, W. (2001). Limiting partial molar volumes of tetra-n-alkylammonium perchlorates in N,N-dimethylacetamide, triethylphosphate and dimethyl sulfoxide at T=298.15 K. *The Journal of Chemical Thermodynamics* 33: 121-133. <http://dx.doi.org/10.1006/jcht.2000.0725>
- Krasner, SW. (2009). The formation and control of emerging disinfection by-products of health concern [Review]. *Philos Transact A Math Phys Eng Sci* 367: 4077-4095. <http://dx.doi.org/10.1098/rsta.2009.010>
- Laavi, H; Pokki, JP; Uusi-Kyyyny, P; Massimi, A; Kim, Y; Sapei, E; Alopaeus, V. (2013). Vapor-liquid equilibrium at 350 k, excess molar enthalpies at 298 K, and excess molar volumes at 298 K of binary mixtures containing ethyl acetate, butyl acetate, and 2-butanol. *Journal of Chemical and Engineering Data* 58: 1011-1019. <http://dx.doi.org/10.1021/je400036b>

- Laavi, H; Zaitseva, A; Pokki, JP; Uusi-Kyyny, P; Kim, Y; Alopaeus, V. (2012). Vapor-liquid equilibrium, excess molar enthalpies, and excess molar volumes of binary mixtures containing methyl isobutyl ketone (MIBK) and 2-butanol, tert-pentanol, or 2-ethyl-1-hexanol. *Journal of Chemical and Engineering Data* 57: 3092-3101. <http://dx.doi.org/10.1021/je300678r>
- Lalucat, J; Bennasar, A; Bosch, R; Garcia-Valdes, E; Palleroni, NJ. (2006). Biology of *Pseudomonas stutzeri* [Review]. *Microbiol Mol Biol Rev* 70: 510-547. <http://dx.doi.org/10.1128/MMBR.00047-05>
- Langmuir, D; Herman, JS. (1980). The mobility of thorium in natural waters at low temperatures. *Geochim Cosmo Act* 44: 1753-1766. [http://dx.doi.org/10.1016/0016-7037\(80\)90226-4](http://dx.doi.org/10.1016/0016-7037(80)90226-4)
- Langmuir, D; Riese, AC. (1985). THE THERMODYNAMIC PROPERTIES OF RADIUM. *Geochim Cosmo Act* 49: 1593-1601.
- Laurenzi, JJ; Jersey, GR. (2013). Life cycle greenhouse gas emissions and freshwater consumption of Marcellus shale gas. *Environ Sci Technol* 47: 4896-4903. <http://dx.doi.org/10.1021/es305162w>
- LEau LLC. (2008). Dew vaporation desalination 5,000-gallon-per-day pilot plant. (Desalination and Water Purification Research and Development Program Report No. 120). Denver, CO: Bureau of Reclamation, U.S. Department of the Interior. <http://www.usbr.gov/research/AWT/reportpdfs/report120.pdf>
- Lee, K; Neff, J. (2011). Produced water: Environmental risks and advances in mitigation technologies. New York, NY: Springer. <http://dx.doi.org/10.1007/978-1-4614-0046-2>
- Leventhal, JS; Hosterman, JW. (1982). Chemical and mineralogical analysis Of Devonian black-shale samples from Martin County, Kentucky - Carroll and Washington counties, Ohio - Wise County, Virginia - and Overton County, Tennessee, USA. *Chem Geol* 37: 239-264.
- Li, L; Brantley, SL. (2011). Development of a subsurface reactive transport model for predicting potential water quality problems at Marcellus shale. (USGS Project 2011PA159B). Li, L; Brantley, SL. <http://water.usgs.gov/wrri/2011grants/progress/2011PA159B.pdf>
- Lovley, DR; Chapelle, FH. (1995). Deep subsurface microbial processes. *Rev Geophys* 33: 365-381. <http://dx.doi.org/10.1029/95RG01305>
- Lovley, DR; Phillips, EJ. (1986). Organic matter mineralization with reduction of ferric iron in anaerobic sediments. *Appl Environ Microbiol* 51: 683-689.
- Ludzack, FJ; Noran, DK. (1965). Tolerance of high salinities by conventional wastewater treatment processes. *J Water Pollut Control Fed* 37: 1404-1416.
- Luh, J; Mariñas, BJ. (2012). Bromide ion effect on N-nitrosodimethylamine formation by monochloramine. *Environ Sci Technol* 46: 5085-5092. <http://dx.doi.org/10.1021/es300077x>
- Lyons, WC; Pligsa, GL. (2004). Standard handbook of petroleum and natural gas engineering (2nd ed.). Houston, TX: Gulf Professional Publishing. <http://www.elsevier.com/books/standard-handbook-of-petroleum-and-natural-gas-engineering/lyons-phd-pe/978-0-7506-7785-1>
- Ma, G; Geza, M; Xu, P. (2014). Review of flowback and produced water management, treatment, and beneficial use for major shale gas development basins. Shale Energy Engineering Conference 2014, Pittsburgh, Pennsylvania, United States.
- Mak, TCW. (1965). Hexamethylenetetramine hexahydrate: A new type of clathrate hydrate. *J Chem Phys* 43: 2799. <http://dx.doi.org/10.1063/1.1697212>
- Manios, T; Stentiford, EI; Millner, P. (2003). Removal of total suspended solids from wastewater in constructed horizontal flow subsurface wetlands. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 38: 1073-1085. <http://dx.doi.org/10.1081/ESE-120019865>

- Martinez-Reina, M; Amado-Gonzalez, E; Mauricio Munoz-Munoz, Y. (2012). Study of liquid-liquid equilibria of toluene plus (hexane, heptane, or cyclohexane) with 1-ethyl-3-methylimidazolium ethylsulfate at 308.15 K. Bull Chem Soc Jpn 85: 1138-1144. <http://dx.doi.org/10.1246/bcsj.20120112>
- Martinez, CE; McBride, MB. (2001). Cd, Cu, Pb, and Zn coprecipitates in Fe oxide formed at different pH: Aging effects on metal solubility and extractability by citrate. Environ Toxicol Chem 20: 122-126. <http://dx.doi.org/10.1002/etc.5620200112>
- Masood, AKM; Pethrick, RA; Swinton, FL. (1976). Physicochemical studies of super-cooled liquids - cyclic carbonates and alpha,beta-unsaturated aldehydes. Faraday Trans 1 72: 20-28. <http://dx.doi.org/10.1039/f19767200020>
- Mata, JA; Martínez-Cánovas, J; Quesada, E; Béjar, V. (2002). A detailed phenotypic characterisation of the type strains of Halomonas species. Syst Appl Microbiol 25: 360-375. <http://dx.doi.org/10.1078/0723-2020-00122>
- Matamoros, V; Mujeriego, R; Bayona, JM. (2007). Trihalomethane occurrence in chlorinated reclaimed water at full-scale wastewater treatment plants in NE Spain. Water Res 41: 3337-3344. <http://dx.doi.org/10.1016/j.watres.2007.04.021>
- Maupin, MA; Kenny, JF; Hutson, SS; Lovelace, JK; Barber, NL; Linsey, KS. (2014). Estimated use of water in the United States in 2010. (USGS Circular 1405). Reston, VA: U.S. Geological Survey. <http://dx.doi.org/10.3133/cir1405>
- Maxwell, SC. (2011). Hydraulic fracture height growth. Recorder 36: 18-22.
- McDaniel, BW; Rispler, KA. (2009). Horizontal wells with multistage fracs prove to be best economic completion for many low permeability reservoirs. Paper presented at SPE Eastern Regional Meeting, September 23-15, 2009, Charleston, WV.
- McDaniel, J; Watters, L; Shadravan, A. (2014). Cement sheath durability: Increasing cement sheath integrity to reduce gas migration in the Marcellus Shale Play. In SPE hydraulic fracturing technology conference proceedings. Richardson, TX: Society of Petroleum Engineers. <http://dx.doi.org/10.2118/168650-MS>
- McGowan, L; Herbert, R; Muyzer, G. (2004). A comparative study of hydrocarbon degradation by Marinobacter sp., Rhodococcus sp. and Corynebacterium sp. isolated from different mat systems. Ophelia 58: 271-281. <http://dx.doi.org/10.1080/00785236.2004.10410235>
- McGuire, MJ; Karanfil, T; Krasner, SW; Reckhow, DA; Roberson, JA; Summers, RS; Westerhoff, P; Xie, Y. (2014). Not your granddad's disinfection by-product problems and solutions. JAWWA 106: 54-73. <http://dx.doi.org/10.5942/jawwa.2014.106.0128>
- McLin, K; Brinton, D; Moore, J. (2011). Geochemical modeling of water-rock-proppant interactions. Thirty-Sixth Workshop on Geothermal Reservoir Engineering, January 31 - February 2, 2011, Stanford University, Stanford, California.
- Miller, P. (2011). Future of hydraulic fracturing depends on effective water treatment. Hydrocarbon Process 90: 13-13.
- Mitchell, AL; Small, M; Casman, EA. (2013). Surface water withdrawals for Marcellus Shale gas development: performance of alternative regulatory approaches in the Upper Ohio River Basin. Environ Sci Technol 47: 12669-12678. <http://dx.doi.org/10.1021/es403537z>
- Mohan, AM; Gregory, KB; Vidic, RD; Miller, P; Hammack, RW. (2011). Characterization of microbial diversity in treated and untreated flowback water impoundments from gas fracturing operations. Paper presented at SPE Annual Technical Conference and Exhibition, October 30 - November 2, 2011, Denver, CO.
- Montgomery, C. (2013). Fracturing fluid components. In A Bunder; J McLennon; R Jeffrey (Eds.), Effective and Sustainable Hydraulic Fracturing. Croatia: InTech. <http://dx.doi.org/10.5772/56422>

- Moosavi, M; Motahari, A; Omrani, A; Rostami, AA. (2013). Thermodynamic study on some alkanediol solutions: Measurement and modeling. *Thermochim Acta* 561: 1-13.  
<http://dx.doi.org/10.1016/j.tca.2013.03.010>
- Moses, CO; Herman, JS. (1991). Pyrite oxidation at circumneutral pH. *Geochim Cosmo Act* 55: 471-482.
- MSC (Marcellus Shale Coalition). (2013). Recommended practices: Drilling and completions. (MSC RP 2013-3). Pittsburgh, Pennsylvania.
- Munter, R. (2000). Industrial wastewater treatment. In LC Lundin (Ed.), Sustainable water management in the Baltic Sea Basin book II: Water use and management (pp. 195-210). Sida, Sweden: Baltic University Programme Publication. <http://www.balticuniv.uu.se/index.php/boll-online-library/831-swm-2-water-use-and-management>
- Murali Mohan, A; Hartsock, A; Bibby, KJ; Hammack, RW; Vidic, RD; Gregory, KB. (2013a). Microbial community changes in hydraulic fracturing fluids and produced water from shale gas extraction. *Environ Sci Technol* 47: 13141-13150. <http://dx.doi.org/10.1021/es402928b>
- Murali Mohan, A; Hartsock, A; Hammack, RW; Vidic, RD; Gregory, KB. (2013b). Microbial communities in flowback water impoundments from hydraulic fracturing for recovery of shale gas. *FEMS Microbiol Ecol.* <http://dx.doi.org/10.1111/1574-6941.12183>
- Murray, KE. (2013). State-scale perspective on water use and production associated with oil and gas operations, Oklahoma, U.S. *Environ Sci Technol* 47: 4918-4925. <http://dx.doi.org/10.1021/es4000593>
- Muylaert, K; Dasseville, R; De Brabandere, L; Dehairs, F; Vyverman, W. (2005). Dissolved organic carbon in the freshwater tidal reaches of the Schelde estuary. *Estuar Coast Shelf Sci* 64: 591-600.  
<http://dx.doi.org/10.1016/j.ecss.2005.04.010>
- Myers, CR; Nealson, KH. (1988). Bacterial manganese reduction and growth with manganese oxide as the sole electron acceptor. *Science* 240: 1319-1321. <http://dx.doi.org/10.1126/science.240.4857.1319>
- Newman, DK. (2001). Microbiology - How bacteria respire minerals. *Science* 292: 1312-1313.  
<http://dx.doi.org/10.1126/science.1060572>
- Nicot, JP; Reedy, RC; Costley, RA; Huang, Y. (2012). Oil & gas water use in Texas: Update to the 2011 mining water use report. Nicot, JP; Reedy, RC; Costley, RA; Huang, Y.  
[http://www.twdb.state.tx.us/publications/reports/contracted\\_reports/doc/0904830939\\_2012Update\\_MiningWaterUse.pdf](http://www.twdb.state.tx.us/publications/reports/contracted_reports/doc/0904830939_2012Update_MiningWaterUse.pdf)
- Nicot, JP; Scanlon, BR. (2012). Water use for shale-gas production in Texas, U.S. *Environ Sci Technol* 46: 3580-3586. <http://dx.doi.org/10.1021/es204602t>
- Nicot, JP; Scanlon, BR; Reedy, RC; Costley, RA. (2014). Source and fate of hydraulic fracturing water in the Barnett Shale: a historical perspective. *Environ Sci Technol* 48: 2464-2471.  
<http://dx.doi.org/10.1021/es404050r>
- NLM (National Institutes of Health, National Library of Medicine). (2014). ChemID plus advanced. Available online at <http://chem.sis.nlm.nih.gov/chemidplus/>
- NMSU DACC WUTAP (New Mexico State University, Doña Ana Community College, Water Utilities Technical Assistance Program). (2007). New Mexico wastewater systems operator certification study manual - Version 1.1. Santa Fe, NM: New Mexico Environment Department.  
<http://www.nmrwa.org/sites/nmrwa.org/files/WastewaterOperatorStudyManual.pdf>
- Nordstrom, DK; Alpers, CN. (1999). Geochemistry of acid mine waters. In GS Plumlee; MJ Logsdon (Eds.), The Environmental Geochemistry of Mineral Deposits Part A: Processes, Techniques, and Health Issues Society of Economic Geologists, Denver (pp. 133-160). Littleton, CO: Society of Economic Geologists.
- North Dakota State Water Commission. (2014). Facts about North Dakota fracking and water use. Bismarck, ND. <http://www.swc.nd.gov/4dlink9/4dcgi/GetContentPDF/PB-2419/Fact%20Sheet.pdf>

---

*This document is a draft for review purposes only and does not constitute Agency policy.*

- NTP (National Toxicology Program). (2014a). Definition of carcinogenicity results. Available online at <http://ntp.niehs.nih.gov/results/pubs/longterm/defs/index.html>
- NTP (National Toxicology Program). (2014b). Report on carcinogens. Thirteenth edition. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <http://ntp.niehs.nih.gov/pubhealth/roc/roc13/index.html>
- NYSDEC (New York State Department of Environmental Conservation). (2011). Revised draft supplemental generic environmental impact statement (SGEIS) on the oil, gas and solution mining regulatory program: Well permit issuance for horizontal drilling and high-volume hydraulic fracturing to develop the Marcellus shale and other low-permeability gas reservoirs. Albany, NY: NY SDEC. <http://www.dec.ny.gov/energy/75370.html>
- Obolensky, A; Singer, PC. (2008). Development and interpretation of disinfection byproduct formation models using the Information Collection Rule database. Environ Sci Technol 42: 5654-5660. <http://dx.doi.org/10.1021/es702974f>
- OEHHA, Title 27, California Code of Regulations Article 8. No Observable Effect Levels, § 25701 (2012). [http://www.oehha.ca.gov/prop65/law/pdf\\_zip/RegsArt8.pdf](http://www.oehha.ca.gov/prop65/law/pdf_zip/RegsArt8.pdf)
- Oil and Gas Mineral Services. (2010). MineralWise: Oil and gas terminology. Available online at <http://www.mineralweb.com/library/oil-and-gas-terms/>
- Okada, S. (1962). Studies on lactone formation in vapor phase. III. Mechanism of lactone formation from diols. Bull Chem Soc Jpn 35: 986-989. <http://dx.doi.org/10.1246/bcsj.35.986>
- ONG Services. (2015). ONGList: Reserved Environmental Services. Available online at <http://www.onglist.com/Home/Search?SearchString=Reserved+environmental+services&Distance=&searchAddress=&CategoryTypeID=1&SubCategoryID>
- Orem, W; Tatu, C; Varonka, M; Lerch, H; Bates, A; Engle, M; Crosby, L; McIntosh, J. (2014). Organic substances in produced and formation water from unconventional natural gas extraction in coal and shale. Int J Coal Geol 126: 20-31. <http://dx.doi.org/10.1016/j.coal.2014.01.003>
- Orem, WH; Tatu, CA; Lerch, HE; Rice, CA; Bartos, TT; Bates, AL; Tewalt, S; Corum, MD. (2007). Organic compounds in produced waters from coalbed natural gas wells in the Powder River Basin, Wyoming, USA. Appl Geochem 22: 2240-2256. <http://dx.doi.org/10.1016/j.apgeochem.2007.04.010>
- OSHA, Title 29 - Department of Labor, Subpart z Toxic and hazardous substances, hazard communication, § 1910.1200 (2013). <http://www.gpo.gov/fdsys/pkg/CFR-2013-title29-vol6/xml/CFR-2013-title29-vol6-sec1910-1200.xml>
- PA DEP (Pennsylvania Department of Environmental Protection). (2010). Chemicals used by hydraulic fracturing companies in Pennsylvania for surface and hydraulic fracturing activities. Harrisburg, PA: Pennsylvania Department of Environmental Protection (PADEP). <http://files.dep.state.pa.us/OilGas/BOGM/BOGMPortalFiles/MarcellusShale/Frac%20list%206-30-2010.pdf>.
- PA DEP (Pennsylvania Department of Environmental Protection). (2015). Technologically enhanced naturally occurring radioactive materials (TENORM) study report. Harrisburg, PA. <http://www.elibrary.dep.state.pa.us/dsweb/Get/Document-105822/PA-DEP-TENORM-Study-Report-Rev. 0 01-15-2015.pdf>
- Pal, A; Kumar, H; Maan, R; Sharma, HK. (2013). Densities and speeds of sound of binary liquid mixtures of some n-alkoxypropanols with methyl acetate, ethyl acetate, and n-butyl acetate at T = (288.15, 293.15, 298.15, 303.15, and 308.15) K. Journal of Chemical and Engineering Data 58: 225-239. <http://dx.doi.org/10.1021/je300789a>

- Parker, KM; Zeng, T; Harkness, J; Vengosh, A; Mitch, WA. (2014). Enhanced formation of disinfection byproducts in shale gas wastewater-impacted drinking water supplies. Environ Sci Technol 48: 11161-11169. <http://dx.doi.org/10.1021/es5028184>
- Pashin, JC; McIntyre-Redden, MR; Mann, SD; Kopaska-Merkel, DC; Varonka, M; Orem, W. (2014). Relationships between water and gas chemistry in mature coalbed methane reservoirs of the Black Warrior Basin. Int J Coal Geol 126: 92-105. <http://dx.doi.org/10.1016/j.coal.2013.10.002>
- Piper, WP. (1971). Molecular and crystal structure of glycollic acid. Acta Crystallogr B B27: 344-348. <http://dx.doi.org/10.1107/S056774087100219X>
- Pope, PG; Martin-Doole, M; Speitel, GE; Collins, MR. (2007). Relative significance of factors influencing DXAA formation during chloramination. JAWWA 99: 144-156.
- Radwan, MHS; Hanna, AA. (1976). Binary azeotropes containing butyric acids. Journal of Chemical and Engineering Data 21: 285-289. <http://dx.doi.org/10.1021/je60070a032>
- Rahm, BG; Bates, JT; Bertoia, LR; Galford, AE; Yoxtheimer, DA; Riha, SJ. (2013). Wastewater management and Marcellus Shale gas development: trends, drivers, and planning implications. J Environ Manage 120: 105-113. <http://dx.doi.org/10.1016/j.jenvman.2013.02.029>
- Rani, M; Maken, S. (2013). Excess molar enthalpies and excess molar volumes of formamide+1-propanol or 2-propanol and thermodynamic modeling by Prigogine-Flory-Patterson theory and Treszczanowicz-Benson association model. Thermochim Acta 559: 98-106. <http://dx.doi.org/10.1016/j.tca.2013.02.010>
- Ravot, G; Magot, M; Ollivier, B; Patel, BK; Ageron, E; Grimont, PA; Thomas, P; Garcia, JL. (1997). Haloanaerobium congolense sp. nov., an anaerobic, moderately halophilic, thiosulfate- and sulfur-reducing bacterium from an African oil field. FEMS Microbiol Lett 147: 81-88.
- Rawat, BS; Gulati, IB; Mallik, KL. (1976). Study of some sulphur-group solvents for aromatics extraction by gas chromatography. Journal of Applied Chemistry and Biotechnology 26: 247-252. <http://dx.doi.org/10.1002/jctb.5020260504>
- Renpu, W. (2011). Advanced well completion engineering (Third ed.). Houston, TX: Gulf Professional Publishing.
- Rice, CA; Flores, RM; Stricker, GD; Ellis, MS. (2008). Chemical and stable isotopic evidence for water/rock interaction and biogenic origin of coalbed methane, Fort Union Formation, Powder River Basin, Wyoming and Montana USA. Int J Coal Geol 76: 76-85. <http://dx.doi.org/10.1016/j.coal.2008.05.002>
- Richardson, SD; Plewa, MJ; Wagner, ED; Schoeny, R; Demarini, DM. (2007). Occurrence, genotoxicity, and carcinogenicity of regulated and emerging disinfection by-products in drinking water: A review and roadmap for research [Review]. Mutat Res 636: 178-242. <http://dx.doi.org/10.1016/j.mrrev.2007.09.000>
- Rodnikova, MN; Solonina, JA; Egorov, GI; Makarov, DM; Gunina, MA. (2012). The bulk properties of dioxane solutions in ethylene glycol at 2575C. Russian Journal of Physical Chemistry A, Focus on Chemistry 86: 330-332. <http://dx.doi.org/10.1134/S0036024412020239>
- Ross, D; King, G. (2007). Well completions. In MJ Economides; T Martin (Eds.), Modern fracturing: Enhancing natural gas production (1 ed., pp. 169-198). Houston, Texas: ET Publishing.
- Rowan, EL; Engle, MA; Kirby, CS; Kraemer, TF. (2011). Radium content of oil- and gas-field produced waters in the northern Appalachian Basin (USA): Summary and discussion of data. (Scientific Investigations Report 2011-5135). Reston, VA: U.S. Geological Survey. <http://pubs.usgs.gov/sir/2011/5135/>
- Roy, SB; Ricci, PF; Summers, KV; Chung, CF; Goldstein, RA. (2005). Evaluation of the sustainability of water withdrawals in the United States, 1995 to 2025. J Am Water Resour Assoc 41: 1091-1108.
- Rozell, DJ; Reaven, SJ. (2012). Water pollution risk associated with natural gas extraction from the Marcellus Shale. Risk Anal 32: 1382-1393. <http://dx.doi.org/10.1111/j.1539-6924.2011.01757.x>

- Sabins, F. (1990). Problems in cementing horizontal wells. *J Pet Tech* 42: 398-400.  
<http://dx.doi.org/10.2118/20005-PA>
- Safe Drinking Water Act. Title XIV of the Public Health Service Act Safety of Public Water Systems (Safe Drinking Water Act) as amended through P.L. 107-377, (2002). <http://www.epw.senate.gov/sdwa.pdf>
- Sarkar, BK; Choudhury, A; Sinha, B. (2012). Excess molar volumes, excess viscosities and ultrasonic speeds of sound of binary mixtures of 1,2-dimethoxyethane with some aromatic liquids at 298.15 K. *Journal of Solution Chemistry* 41: 53-74. <http://dx.doi.org/10.1007/s10953-011-9780-5>
- Sarkar, L; Roy, MN. (2009). Density, viscosity, refractive index, and ultrasonic speed of binary mixtures of 1,3-dioxolane with 2-methoxyethanol, 2-ethoxyethanol, 2-butoxyethanol, 2-propylamine, and cyclohexylamine. *Journal of Chemical and Engineering Data* 54: 3307-3312.  
<http://dx.doi.org/10.1021/je900240s>
- Schlumberger (Schlumberger Limited). (2014). Schlumberger oilfield glossary. Available online at <http://www.glossary.oilfield.slb.com/>
- Schrodinger. (2012). Qikprop [Computer Program]. New York, New York: Schrodinger, LLC. Retrieved from <http://www.schrodinger.com/products/14/17>
- Shafer, L. (2011). Water recycling and purification in the Pinedale anticline field: results from the anticline disposal project. In 2011 SPE Americas E&P health, safety, security & environmental conference. Richardson, TX: Society of Petroleum Engineers. <http://dx.doi.org/10.2118/141448-MS>
- Shaffer, DL; Arias Chavez, LH; Ben-Sasson, M; Romero-Vargas Castrillón, S; Yip, NY; Elimelech, M. (2013). Desalination and reuse of high-salinity shale gas produced water: drivers, technologies, and future directions. *Environ Sci Technol* 47: 9569-9583.
- Shammas, NK. (2010). Wastewater renovation by flotation. In LK Wang; NK Shammas; WA Selke; DB Aulenbach (Eds.), Flotation technology (pp. 327-345). New York, NY: Humana Press.  
[http://dx.doi.org/10.1007/978-1-60327-133-2\\_9](http://dx.doi.org/10.1007/978-1-60327-133-2_9)
- Shanley, P; Collin, RL. (1961). The crystal structure of the high temperature form of choline chloride. *Acta Cryst* 14: 79-80. <http://dx.doi.org/10.1107/S0365110X61000292>
- Sheets, MSD. (a) Encana/Halliburton Energy Services, Inc.: Duncan, Oklahoma. Provided by Halliburton Energy Services during an onsite visit by the EPA on May 10, 2010; (b) Encana Oil and Gas (USA), Inc.: Denver, Colorado. Provided to US EPA Region 8. Material Safety Data Sheets.
- Sigma-Aldrich. (2007). Material safety data sheet: Tert-butyl hydroperoxide (70% solution in water). Available online at [http://www.orcbs.msu.edu/msds/111607\\_DLI\\_027\\_TERT-BUTYL.PDF](http://www.orcbs.msu.edu/msds/111607_DLI_027_TERT-BUTYL.PDF)
- Sigma-Aldrich. (2010). Product information: Sodium chloride. Available online at [https://www.sigmaaldrich.com/content/dam/sigma-aldrich/docs/Sigma-Aldrich/Product\\_Information\\_Sheet/s7653pis.pdf](https://www.sigmaaldrich.com/content/dam/sigma-aldrich/docs/Sigma-Aldrich/Product_Information_Sheet/s7653pis.pdf)
- Sigma-Aldrich. (2014a). Material safety data sheet: Phosphorus acid. Available online at <http://www.sigmaaldrich.com/catalog/product/sial/215112?lang=en&region=US>
- Sigma-Aldrich. (2014b). Material safety data sheet: Potassium carbonate. Available online at <http://www.sigmaaldrich.com/catalog/product/aldrich/367877?lang=en&region=US>
- Sigma-Aldrich. (2015a). Material safety data sheet: Aluminum chloride [Fact Sheet]. St. Louis, MO. <http://www.sigmaaldrich.com/catalog/product/aldrich/563919?lang=en&region=US>
- Sigma-Aldrich. (2015b). Material safety data sheet: Peracetic acid solution. Available online at <http://www.sigmaaldrich.com/catalog/product/sial/269336?lang=en&region=US>
- Sigma-Aldrich. (2015c). Material safety data sheet: Sulfur dioxide. Available online at <http://www.sigmaaldrich.com/catalog/product/aldrich/295698?lang=en&region=US>

- Sigma-Aldrich. (2015d). Material safety data sheet: Sulfuric acid. Available online at <http://www.sigmaaldrich.com/catalog/product/aldrich/339741?lang=en&region=US>
- Sigma-Aldrich. (2015e). Material safety data sheet: Trimethyl borate. Available online at <http://www.sigmaaldrich.com/catalog/product/aldrich/447218?lang=en&region=US>
- Singer, P. (2010). Anomalous DBP speciation patterns: Examples and explanations. Water Quality Technology Conference and Exposition 2010, November, 14-18, 2010, Savannah, GA.
- Sirivedhin, T; Dallbauman, L. (2004). Organic matrix in produced water from the Osage-Skiatook petroleum environmental research site, Osage county, Oklahoma. Chemosphere 57: 463-469.
- Skjerven, T; Lunde, Ø; Perander, M; Williams, B; Farquhar, R; Sinet, J; Sæby, J; Haga, HB; Finnseth, Ø; Johnsen, S. (2011). Norwegian Oil and Gas Association recommended guidelines for well integrity. (117, Revision 4). Norway: Norwegian Oil and Gas Association.  
<http://www.norskoljeoggass.no/Global/Retningslinjer/Boring/117%20-%20Recommended%20guidelines%20Well%20integrity%20rev4%2006.06.%2011.pdf>
- Smirnov, VI; Badelin, VG. (2013). Enthalpy characteristics of dissolution of L-tryptophan in water plus formamides binary solvents at 298.15 K. Russian Journal of Physical Chemistry A, Focus on Chemistry 87: 1165-1169. <http://dx.doi.org/10.1134/S0036024413070285>
- Solley, WB; Pierce, RR; Perlman, HA. (1998). Estimated use of water in the United States in 1995. (USGS Circular: 1200). U.S. Geological Survey. <http://pubs.er.usgs.gov/publication/cir1200>
- Spellman, FR. (2012). Environmental impacts of hydraulic fracturing. In Environmental impacts of hydraulic fracturing. Boca Raton, Florida: CRC Press.
- SRBC. (2012). Flowback and Produced Water Volume.
- States, S; Cyprych, G; Stoner, M; Wydra, F; Kuchta, J; Monnell, J; Casson, L. (2013). Marcellus Shale drilling and brominated THMs in Pittsburgh, Pa., drinking water. J Am Water Works Assoc 105: E432-E448.  
<http://dx.doi.org/10.5942/jawwa.2013.105.0093>
- Stein, D; Griffin Jr, TJ; Dusterhoft, D. (2003). Cement pulsation reduces remedial cementing costs. GasTIPS 9: 22-24.
- Steinhauser, O; Boresch, S; Bertagnoli, H. (1990). The effect of density variation on the structure of liquid hydrogen chloride. A Monte Carlo study. J Chem Phys 93: 2357-2363.  
<http://dx.doi.org/10.1063/1.459015>
- Stepan, DJ; Shockley, RE; Kurz, BA; Kalenze, NS; Cowan, RM; Ziman, JJ; Harju, JA. (2010). Bakken water opportunities assessment: Phase I. (2010-EERC-04-03). Bismarck, ND: North Dakota Industrial Commission. <http://www.nd.gov/ndic/ogrp/info/g-018-036-fi.pdf>
- Struchtemeyer, CG; Elshahed, MS. (2012). Bacterial communities associated with hydraulic fracturing fluids in thermogenic natural gas wells in North Central Texas, USA. FEMS Microbiol Ecol 81: 13-25.  
<http://dx.doi.org/10.1111/j.1574-6941.2011.01196.x>
- Stumm, W; Morgan, JI. (1981). Aquatic chemistry: An introduction emphasizing chemical equilibria in natural waters (2nd ed.). New York, NY: Wiley.
- Sturchio, NC; Banner, JL; Binz, CM; Heraty, LB; Musgrove, M. (2001). Radium geochemistry of ground waters in Paleozoic carbonate aquifers, midcontinent, USA. Appl Geochem 16: 109-122.
- Swanson, VE. (1955). Uranium in marine black shales of the United States. In Contributions to the geology of uranium and thorium by the United States Geological Survey and Atomic Energy Commission for the United Nations International Conference on Peaceful Uses of Atomic Energy, Geneva, Switzerland, 1955 (pp. 451-456). Reston, VA: U.S. Geological Survey. <http://pubs.usgs.gov/pp/0300/report.pdf>

- Tchobanoglou, G; Burton, FL; Stensel, HD. (2013). Wastewater engineering: Treatment and reuse. In th (Ed.), (9780070418783 ed.). Boston, MA: McGraw-Hill.
- Thalladi, VR; Nusse, M; Boese, R. (2000). The melting point alternation in alpha,omega-alkanedicarboxylic acids. J Am Chem Soc 122: 9227-9236. <http://dx.doi.org/10.1021/ja0011459>
- Tiemann, M; Folger, P; Carter, NT. (2014). Shale energy technology assessment: Current and emerging water practices. Washington, DC: Congressional Research Service. <http://nationalaglawcenter.org/wp-content/uploads//assets/crs/R43635.pdf>
- Timmis, KN. (2010). Handbook of hydrocarbon and lipid microbiology. Berlin, Germany: Springer-Verlag. <http://www.springer.com/life+sciences/microbiology/book/978-3-540-77584-3>
- Tourtelot, HA. (1979). Black shale - its deposition and diagenesis. Clays and Clay Minerals 27: 313-321. <http://dx.doi.org/10.1346/CCMN.1979.0270501>
- Tuttle, MLW; Breit, GN; Goldhaber, MB. (2009). Weathering of the New Albany Shale, Kentucky: II. Redistribution of minor and trace elements. Appl Geochem 24: 1565-1578. <http://dx.doi.org/10.1016/j.apgeochem.2009.04.034>
- U.S. Census Bureau. (2013). Metropolitan and micropolitan statistical areas main. Available online at <http://www.census.gov/population/metro/> (accessed January 12, 2015).
- U.S. Department of Transportation. (2012). Large truck and bus crash facts 2012. Washington, D.C.: Federal Motor Carrier Safety Administration, U.S. Department of Transportation. <http://ai.fmcsa.dot.gov/CarrierResearchResults/PDFs/LargeTruckandBusCrashFacts2012.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (1996). Proposed guidelines for carcinogen risk assessment [EPA Report]. (EPA/600/P-92/003C). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum.
- U.S. EPA (U.S. Environmental Protection Agency). (1999). Guidelines for carcinogen risk assessment [review draft] [EPA Report]. (NCEA-F-0644). Washington, DC. [http://www.epa.gov/raf/publications/pdfs/CANCER\\_GLS.PDF](http://www.epa.gov/raf/publications/pdfs/CANCER_GLS.PDF)
- U.S. EPA (U.S. Environmental Protection Agency). (2004). Evaluation of impacts to underground sources of drinking water by hydraulic fracturing of coalbed methane reservoirs. (EPA/816/R-04/003). Washington, DC.: U.S. Environmental Protection Agency, Office of Solid Waste.
- U.S. EPA (U.S. Environmental Protection Agency). (2005). Membrane filtration guidance manual. (EPA 815-R-06-009). Washington, D.C. [http://www.epa.gov/ogwdw/disinfection/lt2/pdfs/guide\\_lt2\\_membranefiltration\\_final.pdf](http://www.epa.gov/ogwdw/disinfection/lt2/pdfs/guide_lt2_membranefiltration_final.pdf)
- U.S. EPA (U.S. Environmental Protection Agency). (2006). National Primary Drinking Water Regulations: Stage 2 Disinfectants and Disinfection Byproducts Rule. <http://water.epa.gov/lawsregs/rulesregs/sdwa/stage2/>
- U.S. EPA (U.S. Environmental Protection Agency). (2011a). Plan to study the potential impacts of hydraulic fracturing on drinking water resources [EPA Report]. (EPA/600/R-11/122). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. <http://www2.epa.gov/hfstudy/plan-study-potential-impacts-hydraulic-fracturing-drinking-water-resources-epa600r-11122>
- U.S. EPA (U.S. Environmental Protection Agency). (2011b). Sampling data for flowback and produced water provided to EPA by nine oil and gas well operators (non-confidential business information). US Environmental Protection Agency. <http://www.regulations.gov/#!docketDetail;rpp=100;so=DESC;sb=docId;po=0;D=EPA-HQ-ORD-2010-0674>

- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2011c). Terminology services (TS): Vocabulary catalog - IRIS glossary. Available online at [http://ofmpub.epa.gov/sor\\_internet/registry/termreg/searchandretrieve/glossariesandkeywordlists/search.do?details=&glossaryName=IRIS%20Glossary](http://ofmpub.epa.gov/sor_internet/registry/termreg/searchandretrieve/glossariesandkeywordlists/search.do?details=&glossaryName=IRIS%20Glossary) (accessed May 21, 2015).
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2012a). Estimation Programs Interface Suite for Microsoft Windows (EPI Suite) [Computer Program]. Washington DC: US Environmental Protection Agency. Retrieved from <http://www.epa.gov/oppt/exposure/pubs/episuitedl.htm>
- [U.S. EPA. General definitions, 40 CFR § 437.2](#) (2012b). <http://www.gpo.gov/fdsys/pkg/CFR-2012-title40-vol31/pdf/CFR-2012-title40-vol31-sec437-2.pdf>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2012c). Study of the potential impacts of hydraulic fracturing on drinking water resources: Progress report. (EPA/601/R-12/011). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. <http://nepis.epa.gov/exe/ZyPURL.cgi?Dockey=P100FH8M.txt>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2013a). Data received from oil and gas exploration and production companies, including hydraulic fracturing service companies 2011 to 2013. Non-confidential business information source documents are located in Federal Docket ID: EPA-HQ-ORD2010-0674. Available at <http://www.regulations.gov>.
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2013b). Distributed structure-searchable toxicity (DSSTOX) database network. Available online at <http://www.epa.gov/ncct/dsstox/index.html>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2013c). Drinking water and ground water statistics, fiscal year 2011. Washington, DC: U.S. Environmental Protection Agency, Office of Water. <http://water.epa.gov/scitech/datait/databases/drink/sdwifed/upload/epa816r13003.pdf>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2013d). Terminology services (TS): Terms and acronyms. Available online at [http://iaspub.epa.gov/sor\\_internet/registry/termreg/searchandretrieve/termsandacronyms/search.do](http://iaspub.epa.gov/sor_internet/registry/termreg/searchandretrieve/termsandacronyms/search.do)
- [U.S. EPA. Announcement of preliminary regulatory determinations for contaminants on the third drinking water contaminant candidate list, EPA-HQ-OW-2012-0155 62715 -62750](#) (62736 pages) (2014a). <https://www.federalregister.gov/articles/2014/10/20/2014-24582/announcement-of-preliminary-regulatory-determinations-for-contaminants-on-the-third-drinking-water#page-62715>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2014b). Drinking water contaminants. Available online at <http://water.epa.gov/drink/contaminants/>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2014c). Substance registry services. Available online at [http://ofmpub.epa.gov/sor\\_internet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sor_internet/registry/substreg/home/overview/home.do)
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015a). Analysis of hydraulic fracturing fluid data from the FracFocus chemical disclosure registry 1.0 [EPA Report]. (EPA/601/R-14/003). Washington, D.C.: Office of Research and Development, U.S. Environmental Protection Agency. <http://www2.epa.gov/hfstudy/analysis-hydraulic-fracturing-fluid-data-fraccfocus-chemical-disclosure-registry-1-pdf>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015b). Analysis of hydraulic fracturing fluid data from the FracFocus chemical disclosure registry 1.0: Data management and quality assessment report [EPA Report]. (EPA/601/R-14/006). Washington, D.C.: U.S. Environmental Protection Agency, Office of Research and Development. [http://www2.epa.gov/sites/production/files/2015-03/documents/fraccfocus\\_data\\_management\\_report\\_final\\_032015\\_508.pdf](http://www2.epa.gov/sites/production/files/2015-03/documents/fraccfocus_data_management_report_final_032015_508.pdf)

- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015c). Analysis of hydraulic fracturing fluid data from the FracFocus chemical disclosure registry 1.0: Project database [EPA Report]. (EPA/601/R-14/003). Washington, D.C.: U.S. Environmental Protection Agency, Office of Research and Development. <http://www2.epa.gov/hfstudy/epa-project-database-developed-fracfocus-1-disclosures>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015d). Case study analysis of the impacts of water acquisition for hydraulic fracturing on local water availability [EPA Report]. (EPA/600/R-14/179). Washington, D.C.
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015e). Human health benchmarks for pesticides. Available online at <http://iaspub.epa.gov/apex/pesticides/f?p=HHBP:HOME>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015f). Review of well operator files for hydraulically fractured oil and gas production wells: Well design and construction [EPA Report]. (EPA/601/R-14/002). Washington, D.C.: Office of Research and Development, U.S. Environmental Protection Agency.
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015g). Technical development document for proposed effluent limitation guidelines and standards for oil and gas extraction. (EPA-821-R-15-003). Washington, D.C. <http://water.epa.gov/scitech/wastetech/guide/oilandgas/unconv.cfm>
- [U.S. GAO](#) (U.S. Government Accountability Office). (2014). Freshwater: Supply concerns continue, and uncertainties complicate planning. Report to Congressional requesters. (GAO-14-430). Washington, DC: U.S. Government Accountability Office (GAO). <http://www.gao.gov/assets/670/663343.pdf>
- [USGS](#) (U.S. Geological Survey). (1961). Geology and geochemistry of uranium in marine black shales: a review. (U.S. Geological Survey Professional Paper 356-C). Reston, VA. <http://pubs.usgs.gov/pp/0356c/report.pdf>
- [USGS](#) (U.S. Geological Survey). (1997). Radioactive elements in coal and fly ash: Abundance, forms, and environmental significance [Fact Sheet]. (U.S. Geological Survey Fact Sheet FS-163-97). <http://pubs.usgs.gov/fs/1997/fs163-97/FS-163-97.pdf>
- [USGS](#) (U.S. Geological Survey). (2002). Water quality and environmental isotopic analyses of ground-water samples collected from the Wasatch and Fort Union formations in areas of coalbed methane development implications to recharge and groundwater flow, eastern Powder river basin, Wyoming. (Report 02-4045). Reston, VA. <http://pubs.usgs.gov/wri/wri024045/>
- [USGS](#) (U.S. Geological Survey). (2014). Withdrawal and consumption of water by thermoelectric power plants in the United States, 2010. (Scientific Investigations Report 20145184). Reston, VA. <http://dx.doi.org/10.3133/sir20145184>
- [USGS](#) (U.S. Geological Survey). (2015). Water use in the United States. Available online at <http://water.usgs.gov/watuse/>
- [Van Voast, WA](#). (2003). Geochemical signature of formation waters associated with coalbed methane. AAPG Bulletin 87: 667-676.
- [Vanengelen, MR; Peyton, BM; Mormile, MR; Pinkart, HC](#). (2008). Fe(III), Cr(VI), and Fe(III) mediated Cr(VI) reduction in alkaline media using a Halomonas isolate from Soap Lake, Washington. Biodegradation 19: 841-850. <http://dx.doi.org/10.1007/s10532-008-9187-1>
- [Veil, JA](#). (2010). Water management technologies used by Marcellus shale gas producers - Final Report. (DOE Award No.: FWP 49462). Veil, JA. [http://fracfocus.org/sites/default/files/publications/water\\_management\\_in\\_the\\_marcellus.pdf](http://fracfocus.org/sites/default/files/publications/water_management_in_the_marcellus.pdf)
- [Vengosh, A; Jackson, RB; Warner, N; Darrah, TH; Kondash, A](#). (2014). A critical review of the risks to water resources from unconventional shale gas development and hydraulic fracturing in the United States. Environ Sci Technol 48: 36-52. <http://dx.doi.org/10.1021/es405118y>

- Verdegem, MCJ; Bosma, RH. (2009). Water withdrawal for brackish and inland aquaculture, and options to produce more fish in ponds with present water use. *Water Policy* 11: 52-68. <http://dx.doi.org/10.2166/wp.2009.003>
- Vidic, RD; Brantley, SL; Vandenbossche, JM; Yoxtheimer, D; Abad, JD. (2013). Impact of shale gas development on regional water quality [Review]. *Science* 340: 1235009. <http://dx.doi.org/10.1126/science.1235009>
- Vijaya Kumar, R; Anand Rao, M; Venkateshwara Rao, M; Ravi Kumar, YVL; Prasad, DHL. (1996). Bubble temperature measurements on 2-propyn-1-ol with 1,2-dichloroethane, 1,1,1-trichloroethane, and 1,1,2,2-tetrachloroethane. *Journal of Chemical and Engineering Data* 41: 1020-1023. <http://dx.doi.org/10.1021/je9600156>
- Vine, JD. (1956). Uranium-bearing coal in the United States. In Contributions to the geology of uranium and thorium by the United States Geological Survey and Atomic Energy Commission for the United Nations International Conference on Peaceful Uses of Atomic Energy, Geneva, Switzerland, 1955. Reston, VA: U.S. Geological Survey. <http://pubs.er.usgs.gov/publication/pp300>
- Vine, JD; Tourtelot, EB. (1970). Geochemistry of black shale deposits; A summary report. *Econ Geol* 65: 253-272. <http://dx.doi.org/10.2113/gsecongeo.65.3.253>
- Vinson, DS; Vengosh, A; Hirschfeld, D; Dwyer, GS. (2009). Relationships between radium and radon occurrence and hydrochemistry in fresh groundwater from fractured crystalline rocks, North Carolina (USA). *Chem Geol* 260: 159-171. <http://dx.doi.org/10.1016/j.chemgeo.2008.10.022>
- Vulgamore, TB; Clawson, TD; Pope, CD; Wolhart, SL; Mayerhofer, MJ; Machovoe, SR; Waltman, CK. (2007). Applying hydraulic fracture diagnostics to optimize stimulations in the Woodford Shale. Richardson, TX: Society of Petroleum Engineers. <http://dx.doi.org/10.2118/110029-MS>
- Walsh, JM. (2013). Water management for hydraulic fracturing in unconventional resourcesPart 1. Oil and Gas Facilities 2.
- Ward, CR. (2002). Analysis and significance of mineral matter in coal seams. *Int J Coal Geol* 50: 135-168. [http://dx.doi.org/10.1016/S0166-5162\(02\)00117-9](http://dx.doi.org/10.1016/S0166-5162(02)00117-9)
- Warner, NR; Christie, CA; Jackson, RB; Vengosh, A. (2013). Impacts of shale gas wastewater disposal on water quality in western Pennsylvania. *Environ Sci Technol* 47: 11849-11857. <http://dx.doi.org/10.1021/es402165b>
- Warner, NR; Jackson, RB; Darrah, TH; Osborn, SG; Down, A; Zhao, K; White, A; Vengosh, A. (2012). Reply to Engelder: Potential for fluid migration from the Marcellus Formation remains possible. *PNAS* 109: E3626-E3626. <http://dx.doi.org/10.1073/pnas.1217974110>
- Wasylissen, R; Fulton, S. (2012). Reuse of flowback & produced water for hydraulic fracturing in tight oil. Calgary, Alberta, Canada: The Petroleum Technology Alliance Canada (PTAC). <http://www.ptac.org/projects/151>
- Watson, TL; Bachu, S. (2009). Evaluation of the potential for gas and CO<sub>2</sub> leakage along wellbores. *S P E Drilling & Completion* 24: 115-126. <http://dx.doi.org/10.2118/106817-PA>
- Weaver, TR; Frape, SK; Cherry, JA. (1995). Recent cross-formational fluid flow and mixing in the shallow Michigan Basin. *Geol Soc Am Bulletin* 107: 697-707. [http://dx.doi.org/10.1130/0016-7606\(1995\)107<0697:RCFFFA>2.3.CO;2](http://dx.doi.org/10.1130/0016-7606(1995)107<0697:RCFFFA>2.3.CO;2)
- Webster, IT; Hancock, GJ; Murray, AS. (1995). Modelling the effect of salinity on radium desorption from sediments. *Geochim Cosmochim Acta* 59: 2469-2476. [http://dx.doi.org/10.1016/0016-7037\(95\)00141-7](http://dx.doi.org/10.1016/0016-7037(95)00141-7)
- White, GL. (1992). Naturally occurring radioactive materials (NORM) in oil and gas industry equipment and wastes: A literature review. (DOE/ID/01570-T158). Bartlesville, OK: U.S. Department of Energy.
- WHO (World Health Organization). (2015). Concise international chemical assessment documents. Available online at <http://www.who.int/ipcs/publications/cicad/en/>

- Wignall, PG; Myers, KJ. (1988). Interpreting benthic oxygen levels in mudrocks: A new approach. *Geology* 16: 452-455. [http://dx.doi.org/10.1130/0091-7613\(1988\)016<0452:IBOLIM>2.3.CO;2](http://dx.doi.org/10.1130/0091-7613(1988)016<0452:IBOLIM>2.3.CO;2)
- Wilt, JW. (1956). Notes - the halodecarboxylation of cyanoacetic acid. *J Org Chem* 21: 920-921. <http://dx.doi.org/10.1021/jo01114a607>
- Wojtanowicz, AK. (2008). Environmental control of well integrity. In ST Orszulik (Ed.), *Environmental technology in the oil industry* (pp. 53-75). Houten, Netherlands: Springer Netherlands.
- Woolard, CR; Irvine, RL. (1995). Treatment of hypersaline wastewater in the sequencing batch reactor. *Water Res* 29: 1159-1168.
- Wuchter, C; Banning, E; Mincer, TJ; Drenzek, NJ; Coolen, MJ. (2013). Microbial diversity and methanogenic activity of Antrim Shale formation waters from recently fractured wells. *FMICB* 4: 1-14. <http://dx.doi.org/10.3389/fmicb.2013.00367>
- WWRI (West Virginia Water Research Institute, West Virginia University). (2012). Zero discharge water management for horizontal shale gas well development. (DE-FE0001466). [https://www.netl.doe.gov/FileLibrary/Research/Oil-Gas/Natural Gas/shale gas/fe0001466-final-report.pdf](https://www.netl.doe.gov/FileLibrary/Research/Oil-Gas/Natural%20Gas/shale%20gas/fe0001466-final-report.pdf)
- Xiao, LN; Xu, JN; Hu, YY; Wang, LM; Wang, Y; Ding, H; Cui, XB; Xu, JQ. (2013). Synthesis and characterizations of the first [V16O39Cl]6- (V16O39) polyanion. *Dalton Transactions (Online)* 42: 5247-5251. <http://dx.doi.org/10.1039/c3dt33081h>
- Yakimov, MM; Denaro, R; Genovese, M; Cappello, S; D'Auria, G; Chernikova, TN; Timmis, KN; Golyshin, PN; Giluliano, L. (2005). Natural microbial diversity in superficial sediments of Milazzo Harbor (Sicily) and community successions during microcosm enrichment with various hydrocarbons. *Environ Microbiol* 7: 1426-1441. <http://dx.doi.org/10.1111/j.1462-5822.2005.00829.x>
- Yang, JS; Lee, JY; Baek, K; Kwon, TS; Choi, J. (2009). Extraction behavior of As, Pb, and Zn from mine tailings with acid and base solutions. *J Hazard Mater* 171: 1-3. <http://dx.doi.org/10.1016/j.jhazmat.2009.06.021>
- Yang, X; Shang, C. (2004). Chlorination byproduct formation in the presence of humic acid, model nitrogenous organic compounds, ammonia, and bromide. *Environ Sci Technol* 38: 4995-5001. <http://dx.doi.org/10.1021/es049580g>
- Yoshizawa, S; Wada, M; Kita-Tsukamoto, K; Ikemoto, E; Yokota, A; Kogure, K. (2009). *Vibrio azureus* sp. nov., a luminous marine bacterium isolated from seawater. *Int J Syst Evol Microbiol* 59: 1645-1649. <http://dx.doi.org/10.1099/ijss.0.004283-0>
- Yoshizawa, S; Wada, M; Yokota, A; Kogure, K. (2010). *Vibrio sagamiensis* sp. nov., luminous marine bacteria isolated from sea water. *J Gen Appl Microbiol* 56: 499-507.
- Younos, T; Tulou, KE. (2005). Overview of desalination techniques. *Journal of Contemporary Water Research & Education* 132: 3-10. <http://dx.doi.org/10.1111/j.1936-704X.2005.mp132001002.x>
- Zapecza, OS; Szabo, Z. (1988). Natural radioactivity in ground water review. In National Water Summary 1986 Hydrologic Events and Ground-Water Quality, Water-Supply Paper 2325. Reston, VA: U.S. Geological Survey. <http://pubs.er.usgs.gov/publication/wsp2325>
- Zeikus, JG; Hegge, PW; Thompson, TE; Phelps, TJ; Langworthy, TA. (1983). Isolation and description of *Haloanaerobium praevalens* gen. nov. and sp. nov., an obligately anaerobic halophile common to Great Salt Lake sediments. *Curr Microbiol* 9: 225-233. <http://dx.doi.org/10.1007/BF01567586>
- Zhang, L; Guo, Y; Xiao, J; Gong, X; Fang, W. (2011). Density, refractive index, viscosity, and surface tension of binary mixtures of exo-tetrahydrodicyclopentadiene with some n-alkanes from (293.15 to 313.15) K. *Journal of Chemical and Engineering Data* 56: 4268-4273. <http://dx.doi.org/10.1021/je200757a>
- Zhang, T; Gregory, K; Hammack, RW; Vidic, RD. (2014). Co-precipitation of radium with barium and strontium sulfate and its impact on the fate of radium during treatment of produced water from unconventional gas extraction. *Environ Sci Technol* 48: 4596-4603. <http://dx.doi.org/10.1021/es405168b>

Zhang, Z; Yang, L; Xing, Y; Li, W. (2013). Vapor-liquid equilibrium for ternary and binary mixtures of 2-isopropoxypropane, 2-propanol, and n,n-dimethylacetamide at 101.3 kPa. Journal of Chemical and Engineering Data 58: 357-363. <http://dx.doi.org/10.1021/je300994y>